









Tero Firma Hardener

Epoxy coating component

In compliance with Chip 4 and ACOP, Compilation of Data Sheets 4th Edition, this information is provided to help inform Risk Assessments. Its contents cannot be considered to be a risk assessment under Management of Health and Safety or other such regulations. Risk assessments require consideration of other information related to the precise circumstances and situation or preparation to be used. Such information is not available to the supplier/compiler of this data.

	SECTION 1 Product name Product use	PRODUCT IDENTIFICATION Tero Firma Hardener Component of epoxy coating
   	SECTION 2 Classification 1272/2008/EC Hazard symbols: Hazard statements: Precautionary statements:	HAZARDS IDENTIFICATION Physical and Chemical Hazards Human health Environment Signal word: Danger H302+332 Harmful if swallowed or if inhaled. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+330+331 IF SWALLOWED: Rinse mouth. Do not induce vomiting. P303+361+353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. P314 Get medical advice/attention if you feel unwell. P501 Dispose of contents/container in accordance with national regulations.
	SECTION 3 Hazardous components Chemical Name(s) Benzyl Alcohol Methylenedi(cyclohexylamine)	COMPOSITION/INFORMATION ON INGREDIENTS Related Information % (w/w) CAS no. 5-10 100-51-6 1-5 1761-71-3 Classification / H Statements Acute Tox. 4; H302+332 Ac. Tox. 4; H302; Sk. Corr. 1A; H314; Sk. Sens. 1B; H317; STOT RE2; H373; Aq. Chron. 2; H411
	SECTION 4 Contact with Eyes Ingestion Inhalation Skin	FIRST AID MEASURES Bathe the eye with running water for 15 minutes. Seek immediate medical advice. Do NOT induce vomiting; drink copious amounts of water and instantly call for medical help. Remove to fresh air and seek medical advice. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if burns are apparent.
	SECTION 5 Extinguishing media Special procedures	FIRE FIGHTING MEASURES Use Carbon Dioxide, Dry Powder or Foam. Wear self-contained breathing apparatus for chemical fires. Use water spray to keep containers cool and vapours down.