



## FOAMSEAL IN A CAN

## Multi purpose foam sealer

In compliance with Chip 4 and ACOP, Compilation of Data Sheets 4th Edition, this information is provided to help inform Risk Assessments, its contents cannot be considered to be a risk assessment under Management of Health and Safety or other such regulations. Risk assessments require consideration of other information related to the precise circumstances and situation or preparation to be used. Such information is not available to the supplier/compiler of this data.

1	SECTION 1 Product name Product Use	PRODUCT IDENTIFICATION Foamseal In A Can Polyurethane foam sealer.		
1	SECTION 2 Classification 1272/2008/EC	HAZARDS IDENTIFIC Physical and Chemical Human health		Flam. Aerosol 1, H222; H229 Sk. Irrit.2; H315; Sk. Sens.1; H317; Eye Irrit.2; H319; Ac. Tox.4; H332; Resp. Sens.1; H334; STOT SE3; H335;
<b>3</b>	Environment Hazard symbols: Hazard statements:	Aq.Chron.4; H413 Signal word: Danger H222 H229 H315 H317 H319	Extremely Pressurise Causes ski May cause	Carc. 2; H351; Lact.; H362; STOT RE2; H373  Polymethylene polyphenol isocyanate; Alkanes, C14-17, chloro. flammable serosol. d container: May burst if heated. n irritation an allergic skin reaction flous eve irritation.
		H333 H334 H335 H351 H362 H373 H413	May be ha May cause May cause Suspected May cause May cause May cause	rmful if inhaled allergy or asthma symptoms or breathing difficulties if inhaled respiratory irritation of causing cancer harm to breast-fed children damage to organs through prolonged or repeated exposure. long-lasting harmful effects to aquatic life
	Precautionary statements:  Supplemental label information:		Keep out of Keep away Do not spr Pressurizer om sunlight. I or concerne Store locke Dispose of	advice is needed, have product container or label at hand. If reach of children. If from heat/sparks/open flames/hot surfaces – No smoking. If on an open flame or other ignition source. If container: Do not pierce or burn even after use. Do not expose to temperatures exceeding 50°C/122°F. If Get medical advice/attention. If up. If one contents/container in accordance with national regulations. If occyanates. May produce an allergic reaction.
1	SECTION 3 Hazardous components	COMPOSITION Related In		
		% (w/w)	CAS no.	Classification/H-Statements



Hazardous components Related In	1		
	% (w/w)	CAS no.	Classification/H-Statements
Polymethylene polyphenol isocyanate	10-40	9016-87-9	Sk. Irrit. 2; H315; Sk.Sens.1; H317; Eye Irrit. 2; H319;
			Ac.Tox.4; H332; Resp. Sens. 1; H334; STOT SE 3; H335;
			Carc.2; H351; STOT RE2; H373
Alkanes, C14-17, chloro	1-20	85535-85-9	Lact.; H362; Aq.Acute 1; H400; Aq.Chron.1; H410
Propane	1-10	74-98-6	Flam.Gas 1; H220; Press.gas – liquefied gas; H280
Isobutane	1-10	75-28-5	Flam.Gas 1; H220; Press.gas – liquefied gas; H280
Dimethyl Ether	1-15	115-10-6	Flam.Gas 1; H220; Press.gas – liquefied gas; H280
Reaction product (see Section 16)	1-5		AcuteTox.4; H302